	Application No.	Applicant(s)	
	, ipplication its		
Notice of Allowability	10/536,790	LAPP, OLIVER Art Unit	
Nouce of Anomability	Examiner	Artonit	
	Jennifer Doan	2874	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in i) or other appropriate common RIGHTS. This application is so	n this application. If not included unication will be mailed in due course	
1. This communication is responsive to <u>amendment filed on</u>	<u>07/26/07</u> .		
2. The allowed claim(s) is/are 23-35 and 38.			
 3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		or (f).	
2. Certified copies of the priority documents have		on No.	
3. Copies of the certified copies of the priority d			om the
International Bureau (PCT Rule 17.2(a)).	odunionio navo boom rocciro	·	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirem	nents
4. A SUBSTITUTE OATH OR DECLARATION must be submit NFORMAL PATENT APPLICATION (PTO-152) which gives			E OF
5. CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted.		
(a) ☐ including changes required by the Notice of Draftspe	rson's Patent Drawing Review	w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examine Paper No./Mail Date	r's Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on t the header according to 37 CF	he drawings in the front (not the back) FR 1.121(d).	of
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MAT FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note to DLOGICAL MATERIAL.	ne
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Ir	nformal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),	
3. Information Disclosure Statements (PTO/SB/08),		/Mail Date Amendment/Comment	
Paper No./Mail Date		Statement of Reasons for Allowance	Δ
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material			•
	9. 🗌 Other	- Temife Doan	V
		JENNIFÉR DOAN PRIMARY EXAMIN	7

Application/Control Number: 10/536,790

Art Unit: 2874

DETAILED ACTION

Page 2

Response to Amendment

1. Applicant's amendment filed on July 26, 2007 has been fully considered and entered.

Reasons for Allowance

- 2. Claims 23-35 and 38 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose or reasonably suggest all the limitations recited in claim 23. Specifically, the prior art of record fails to disclose a device for storing and handling optical waveguides comprising a frame and fiber guiding elements for optical fibers are provided on at least to one vertically running narrow side of the frame and wherein the fiber guiding elements generally extend in an outward direction relative to the frame in combination with the other limitations of claim 23.

Claims 24-31 depend from claim 23.

The prior art of record also fails to disclose or reasonably suggest all the limitations recited in claim 32. Specifically, the prior art of record fails to disclose a device for storing and handling optical waveguides comprising a frame and a drawer that is guided in the frame and can be pulled out in the horizontal direction from a first vertically running narrow side of the frame, the drawer being arranged in the pushed-in

Application/Control Number: 10/536,790 Page 3

Art Unit: 2874

position between the splice cases arranged on the front side and the splice cases arranged on the rear side of the frame, the drawer configured for storing uncut multi fiber buffer tubes of optical fibers in combination with the other limitations of claim 32.

Claims 33-35 depend from claim 32.

The prior art of record also fails to disclose or reasonably suggest all the limitations recited in claim 38. Specifically, the prior art of record fails to disclose a device for storing and handling optical waveguides comprising a frame, a plurality of splice cases arranged one above the other on a front side and on a rear side of the frame and pivotably fastened to the frame, wherein the guiding channels are arranged such that at least three interlinked and overlapping circular guides are formed in each splice case, and further wherein the circular guides are aligned in relation to one another such that the circular guides merge tangentially with one another in a central portion of the splice cases as recited in claim 38.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer Doan whose telephone number is (571) 272-

Application/Control Number: 10/536,790 Page 4

Art Unit: 2874

2346. The examiner can normally be reached on Monday to Thursday from 6:00am to 3:30pm, second Friday off.

- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JD

September 13, 2007

JENNIFER DOAN PRIMARY EXAMINER

Termifer Doan